

---

**manati**

**Matthias Baer**

**Apr 29, 2021**



## CONTENTS:

<b>1</b>	<b>Getting Started with <i>manati</i></b>	<b>3</b>
1.1	Installation . . . . .	3
1.2	Usage . . . . .	3
1.3	Note for Windows users . . . . .	6
<b>2</b>	<b>Creating a new project</b>	<b>7</b>
<b>3</b>	<b>Adding Stuff</b>	<b>9</b>
3.1	Adding documentation . . . . .	9
3.2	Adding <i>.gitignore</i> file . . . . .	10
3.3	Adding <i>setup.py</i> file . . . . .	10
3.4	Adding a license . . . . .	10
3.5	Adding a package . . . . .	10
3.6	Adding github-actions . . . . .	10
<b>4</b>	<b>Running stuff</b>	<b>13</b>
4.1	Run tests . . . . .	13
4.2	Analyze test coverage . . . . .	13
4.3	Run docs . . . . .	14
4.4	Run style enforcement . . . . .	14
<b>5</b>	<b>Indices and tables</b>	<b>15</b>





*manati* is a command line interface (CLI) for managing Python projects.



## GETTING STARTED WITH *MANATI*

*manati* is a command line interface (CLI) for managing Python projects.

**Create** new Python projects with ready-to-go recommended project structure.

**Add** important files to existing projects like `setup.py`, `.gitignore`, Sphinx documentation, choose a license and more.

**Run** test suites, analyze test coverage and **deploy** to PyPi.

Even *manati* is managed using *manati*... so meta.

### 1.1 Installation

```
pip install --upgrade manati
```

### 1.2 Usage

#### 1.2.1 Creating a new project

```
manati create -n myproject
```

creates a complete Python project structure inside the current working directory:

```
myproject
├── docs
│   ├── Makefile
│   ├── conf.py
│   ├── index.rst
│   ├── make.bat
│   └── requirements.txt
├── myproject
│   ├── __init__.py
│   └── main.py
├── LICENSE
├── README.md
├── setup.py
├── .gitignore
├── tests
│   └── test_main.py
```

including sample source, tests, documentation, `setup.py`, local `git` repository and a suitable `.gitignore` file. After creation, the project is already installed in development (editable) mode, so you can start coding right away.

## 1.2.2 Adding stuff to an existing project

Sometimes you have an existing project, but initially you did not choose a license, or your `.gitignore` is missing. You can add those special files with the `manati add` command.

### Add a license

```
manati add license
```

where you have the choice between standard license texts like MIT, GPLv3, Apache, ...

### Add a `.gitignore` file

```
manati add gitignore
```

The created `.gitignore` contains all usual patterns that should typically be ignored by `git` in Python projects.


### Add a `setup.py` file

```
manati add setup.py
```

### Add a project documentation folder

```
manati add docs
```

makes a `./docs` folder and sets up a *Sphinx*-based documentation in Read-The-Docs-style:



`docs`

Call `manati add --help` for more information.



### Add github actions

Add a standard github action which automatically runs build and tests on the github CI/CD systems whenever you push a commit:

```
manati add github-action
```

## 1.2.3 Run stuff

### Run tests

```
manati run tests
```

### Analyze test coverage

```
manati run coverage
```

### Re-Build docs and show it browser

```
manati run docs
```

### Run PEP8 style analyzer

```
manati run flake8
```

## 1.2.4 Deploy your project

### To PyPi

```
manati deploy pypi
```

After that anyone in the world can install your package using *pip*.

As a prerequisite for deployment, you need an account at *PyPi*.

### To Github, Gitlab, etc.

Create an empty repository at the platform of your choice, like github, and deploy your local project repository there, e.g.:

```
manati deploy repo
```

After that your local repo is in sync the remote one.

## 1.3 Note for Windows users

Depending on your environment settings, you may have to use *manati* by prepending `python -m` or `py -m` like in

```
python -m manati create
```

## CREATING A NEW PROJECT

*manati* can set up a default and ready-to-go structure for Python projects that contains probably everything you need (if not, submit an issue at [github](#) :-) ).

Suppose you want to create a project named *myproject*. Go to the directory where you want the new project to be created and type

```
manati create
```

You will be prompted for a few questions for setting up the project (defaults in square brackets can simply be accepted by pressing ENTER):

```
Project name: myproject
Author [mbaer]: maroba
(Short) description []: My fancy new project
License (MIT, GPLv3, Apache, None) [None]: MIT
```

After that *manati* sets up the following directory structure:

```
myproject
├── docs
│   ├── Makefile
│   ├── conf.py
│   ├── index.rst
│   ├── make.bat
│   └── requirements.txt
├── myproject
│   ├── __init__.py
│   └── main.py
├── LICENSE
├── README.md
├── setup.py
├── .gitignore
├── tests
│   └── test_main.py
```

The `./docs` folder contains documentation for the project in Read-The-Docs style based on Python's quasi standard [Sphinx](#), and a first HTML version has also been built. You can watch it by opening `./docs/_build/html/index.html` in your browser or, more easily by running

```
manati run docs
```

which will (re-)build the docs and open it up in a browser.

The `.gitignore` file that has been created contains most of the file patterns which should not be part of a *git* repository of Python projects.

A local *git* repository has also been created as you can see by typing

```
cd myprojects
git status
```

The newly created project also contains a `setup.py` in the project root directory, that is used for installation in development mode and also for later deployment to a package index like PyPi. You may want to adjust some settings in the `setup.py` file, like your email address, the project URL or maybe the intended audience classifiers. You can look up valid classifiers at [PyPi](#).

After creation, *manati* has already installed it in development mode, so you can start coding and any changes will be automatically be taken into account without the need to re-import anything.

A sample code module `myproject/main.py` has been created along with a test module `tests/test_main.py`. You can run the test suite with your favorite testing framework, for instance with the *unittest* framework from Python's standard library:

```
python -m unittest discover tests
```

or alternatively with *manati*:

```
manati run tests
```

where you have the choice between different testing frameworks.

Creating a new project can also be done in one line by specifying the required information as options:

```
> manati create --help

Usage: manati create [OPTIONS]

    Create a standard Python project structure.

    By default, the project is also pip-installed for development in editable
    mode, and a local git repository is also created.

Options:
  -n, --name TEXT           Name of the project, same as the main
                             package. [required]
  -G, --no-git              Do not create git repository
  -I, --no-install          Do not pip-install in editable mode
  -a, --author TEXT
  -d, --description TEXT
  -l, --license [MIT|GPLv3|Apache|None]
  --help                   Show this message and exit.
```

## ADDING STUFF

If you already have a project, but it is missing some important aspects like proper `setup.py`, license file, `.gitignore` or other, you can add that easily with *manati*.

This is what you can add with *manati* in the current version:

```
> manati add --help

Usage: manati add [OPTIONS] COMMAND [ARGS]...

  Adds something to the current project.

Options:
  --help  Show this message and exit.

Commands:
  docs          Add a docs folder with Sphinx documentation to the current...
  github-action Add github default action
  gitignore     Add a default .gitignore file to the current directory.
  license       Add a license to the current project.
  package       Add a package to the current directory.
  setup.py      Add a setup.py file to the current directory
```

### 3.1 Adding documentation

Documentation for Python projects (not docstrings) is usually stored in the `./docs` folder under the project root directory. The quasi standard for generating documentation in Python is [Sphinx](#). If your project is missing a documentation, you can set it up with

```
manati add docs
```

and the folder and an initial documentation is set up. You can modify the documentation settings and plugins used by editing the `./docs/conf.py` file, which is the central configuration file for Sphinx.

Now the initial documentation is ready to be generated, which can be done by typing

```
manati run docs
```

from the project root directory. After the building process, a browser opens up showing the resulting HTML files, which should look very similar to the documentation you are currently reading.

## 3.2 Adding *.gitignore* file

It is important not to clutter your *git* repository with files that are not needed for the code itself. If your project does not yet have a suitable *.gitignore* file that catches most of the irrelevant stuff, you can add one to your project by typing

```
manati add gitignore
```

## 3.3 Adding *setup.py* file

When you want to install your project to your Python environment so that it can be used from anywhere in your file system, you need to have a *setup.py* file for proper installation. You can add such a file to your project by simply typing

```
manati add setup.py
```

After that, you may want to edit some of the settings in the file, like author, email, name of the package, etc.

## 3.4 Adding a license

Defining a license for your project is important if you want other people to use your code and control how they may use it. If your project is missing a suitable license file, you can add one by

```
manati add license
```

You have the choice between several different typical license types. If you are unsure which one to select, take a look at [choosealicense.com](http://choosealicense.com).

## 3.5 Adding a package

Suppose you have a package *mypackage*. If you want to create a subpackage *foo*, and inside this one another subsubpackage *bar*, you can do this in one step with *manati*:

```
manati add package mypackage.foo.bar
```

The proper *\_\_init\_\_.py* files are also created of course.

## 3.6 Adding github-actions

When you want to host your *git* repository on [github.com](https://github.com), you may want to use their continuous integration / continuous deployment tools, Github Actions. To use that, your repository needs a hidden directory *./.github/workflows/* containing configuration files that define what actions to perform. With *manati* you can quickly set that up for your project by simply typing

```
manati add github-action
```

You will be asked about the name of the package and the folder with the tests, so that the tests can be run properly. You may not see the folder immediately, because it is hidden, but it is there. :-)

After you commit and push your repository to github, the action will be triggered. And it will also be triggered on every future push.





## RUNNING STUFF

Depending on what helper tools you are using, you have to use different syntax, which is kind of annoying. For instance, I regularly forget the proper way how to trigger the test discovery with the *unittest* framework of the Python standard library. With *manati* you have the choice to use different tools, but don't have to remember the exact syntax for each of them.

Here is what you can currently run with *manati*:

```
coverage  Run test coverage.
docs      Build the documentation and show it in browser.
flake8    Run PEP8 style enforcement.
tests     Run tests in a test folder.
```

### 4.1 Run tests

To run your test suite with *manati*, type

```
manati run tests
```

You will be asked what testing framework you want to run your tests with. Currently, *manati* supports *unittest* and *pytest* as two of the most popular solutions. If you are missing your favorite framework, please submit an issue with a feature request.

```
Options:
-t TEXT                Directory with tests. [required]
-r, --runner [unittest|pytest] Test runner [required]
--help                Show this message and exit.
```

### 4.2 Analyze test coverage

You can analyze the test coverage with *manati* by typing

```
manati run coverage
```

You will be asked which package to analyze and in which folder the tests are located. If the defaults that *manati* is guessing are correct, just confirm them with ENTER.

```
Options:
-s, --source TEXT      Package on which to run coverage.
```

(continues on next page)

(continued from previous page)

	[required]
-t, --tests TEXT	Directory with tests. [required]
-r, --runner [unittest pytest]	Test runner [required]
--help	Show this message and exit.

## 4.3 Run docs

If your project has a `./docs` folder with a proper Sphinx documentation, you can build the HTML files and show them in the browser by simply typing

```
manati run docs
```

## 4.4 Run style enforcement

Proper code style is important, so you should follow the style recommendations as defined in PEP8. However, the line length limitation of 79 characters is extremely annoying. That is why *manati* uses 120 character per line as the default in *flake8*. To scan for style deviations, run

```
Usage: manati run flake8 [DIRS]...

Run PEP8 style enforcement.

But in contrast to PEP8, by default 120 characters per line are ok.
```

## INDICES AND TABLES

- `genindex`
- `modindex`
- `search`